

anti-human CD20 APC-conjugated**Cat-No.:** H12155A**1 ml****Clone:** LT20**Specificity:**

The antibody LT20 reacts with CD20 (Bp35), a 33-37 kDa non glycosylated membrane receptor with four transmembrane domains, expressed on B lymphocytes (it is lost on plasma cells), follicular dendritic cells and at low levels on peripheral blood T lymphocytes.

Immunogen: Normal human lymphocytes from lymph node.**Isotype subclass:** Mouse IgG2a kappa**Form:** The purified antibody is conjugated with cross-linked Allophycocyanin (APC) under optimum conditions. The conjugate is purified by size-exclusion chromatography and adjusted for direct use. No reconstitution necessary.**Physical state:** Liquid**Buffer/Additives/Preservative:** PBS containing BSA and 15 mM sodium azide.**Expiration date:** The reagent is stable until the expiry date stated on the vial label**Storage conditions:** Store at 4 °C. Do not freeze. Avoid prolonged exposure to light.**Application:** The reagent is designed for Flow Cytometry analysis of human blood cells.**References:**

Leucocyte Typing VII. Mason D. et al. (Eds.), Oxford University Press (2002).

Polyak MJ, Deans JP.: Alanine-170 and proline-172 are critical determinants for extracellular CD20 epitopes; heterogeneity in the fine specificity of CD20 monoclonal antibodies is defined by additional requirements imposed by both amino acid sequence and quaternary structure. *Blood*. 2002 May 1;99(9):3256-62.

Chan HT, Hughes D, French RR, Tutt AL, Walshe CA, Teeling JL, Glennie MJ, Cragg MS: CD-20-induced lymphoma cell death is independent of both caspases and its redistribution into triton X-100 insoluble membrane rafts. *Cancer Res*. 2003 Sep 1;63(17):5480-9.

Teeling JL, Mackus WJ, Wiegmann LJ, van den Brackel JH, Beers SA, French RR, van Meerten T, Ebeling S, Vink T, Slootstra JW, Parren PW, Glennie MJ, van de Winkel JG.: The biological activity of human CD20 monoclonal antibodies is linked to unique epitopes on CD20. *J Immunol*. 2006 Jul 1;177(1):362-71.

Warning:

Sodium azide is harmful if swallowed (R22). Keep out of reach of children (S2). Keep away from food, drink and animal feeding stuff (S13). Wear suitable protective clothing (S36). If swallowed, seek medical advice immediately and show this container or label (S46). Contact with acids liberates very toxic gas (R32). Azide compounds should be flushed with large volumes of water during disposal to avoid deposits in lead or copper plumbing where explosive conditions can develop.

This material is offered for **research only**. Not for use in human. For in vitro use only. EuroBioSciences will not be held responsible for patent infringement or other violations that may occur with the use of our products.